



Code Amendment Proposal Application

Department of Consumer & Business Services
 Building Codes Division
 1535 Edgewater NW, Salem, Oregon
 Mailing address: P.O. Box 14470, Salem, OR 97309-0404
 Phone: (503) 378-4133, Fax: (503) 378-2322
 Web: bcd.oregon.gov

STAFF USE ONLY	
Application no.:	
Alternate Method	
<input type="checkbox"/>	Approved
<input type="checkbox"/>	Denied

Instructions: Fill in all the following information, attach any supplementary information you relied on, and mail to the address listed above. For more information, please refer to the Building Codes Division Web site, bcd.oregon.gov.

APPLICANT INFORMATION		
Name: SEAO		Date:
Representing: SEAO		Phone:
Address (street or P.O. Box):		Fax:
City:	State:	ZIP:
E-mail address:		
PROPOSED CODE LANGUAGE		
This proposed code amendment (check one):		
<input checked="" type="checkbox"/> Amends (code, edition, section): IEBC 606.3		
<input type="checkbox"/> Adopts a new section (code, edition): _____		
<input type="checkbox"/> Repeals (code, edition, section): _____		

You must provide language for review by the division. Failure to provide language will invalidate the application.

Please use the following format to show additions and deletions from the code — strike through ~~deleted text~~, underline and bold **new text**.

Use arrow keys to advance to the next text box.

Proposed language:

606.3 Additional requirements for reroof permits. The requirements of this section shall apply to alteration work requiring reroof permits.

606.3.1 Bracing for unreinforced masonry bearing-wall parapets. Where a permit is issued for reroofing for more than 25 percent of the roof area of an ~~unreinforced masonry bearing-wall~~ building assigned to Seismic Design Category D, E or F that has parapets constructed of **unreinforced** masonry, the work shall include installation of parapet bracing to resist the ~~reduced~~ International Building Code **level** seismic forces as specified in Section 101.5.4.12 of this code, unless an evaluation demonstrates compliance of such items **using the reduced International Building Code seismic forces as specified in Section 101.5.4.2.**

