

CROSS REFERENCE REQUIREMENTS FOR 17.3 AND MATERIAL LIFT CLASSIFICATIONS

Description	Former 47 Rules	Former 49 Rules	A17.3 Rule	Requirement Due (Months)	VRL Rules ¹
MACHINE ROOM ACCESS	1	1	2.2.2 ²	24	
ACCESS DOORS AND LOCKS	2	2	2.2.2 ²	24	3.2 ³
MACHINE ROOM LIGHT SWITCH	3	3	2.2.3 ²	24	3.2 ³
MACHINE ROOM VENTILATION	4	4	2.2.4 ²	24	
MACHINE ROOM ENCLOSURES	5	5	2.2.1	24	3.2 ³
GUARDING OF EXPOSED GEARS, ETC	6	6	3.8.5 ²	24	
MACHINE ROOM/EQUIPMENT ILLUMINATION	7	7	2.2.3 ²	24	3.2.1
ANNUAL SAFETY TESTS	8	10	Sect 1.5	24	
BRAKES RELEASED WITHOUT POWER	9	11	3.8.4	24	
CAR EMERGENCY STOP SWITCH	10	12	3.10.4(t)-(u)	24	
HAND LINE CENTERING DEVICE	11	13	3.10.1	36	
RESHACKLING (1:1 ROPING ONLY)	12	14	Sect 1.5	24	
PIPES, DUCTS, ETC. IN HOISTWAY	13	15	2.1.4	24	
SOLID BUMPERS < 75 FPM	14	16	3.1	24	
RUNNING CLR. BETW. CAR AND HOISTWAY	15	17	2.4	24	3.1.4 ⁴
½" – ¾" SILL RUNNING CLEARANCE	16	18	2.4.5	24	4.2
PIT DEPTH	17	19	2.3.1 ²	24	
OVERHEAD CLEARANCES	18	20	2.4.4 ²	24	
HOISTWAY ENCLOSURE	19	21	2.1.1	24	3.1
ENCLOSURE FROM LINTEL TO CEILING	20	22	2.1.1	24	
CLEARANCE BETW. HOISTWAY & CAR SILL	21	23	2.4.1	24	3.1.4 ⁴
PROJECTIONS IN HOISTWAY	22	24	2.1.3	24	
PIPES CARRYING HAZAROUS SUBSTANCES	23	25	2.1.4	24	
HOISTWAY DOOR SETBACK	24	26	3.4.3	24	4.3
MINIMIM GATE HEIGHT (72")	25	27	2.6.1	60	4.1
HOISTWAY DOOR LOCKS	26	28	2.7.1	24	4.4
VISION PANELS	27	29	2.6.3	24	
BRAKES	28	30	3.8.4	24	
ELECTRICALLY CONTROLLED VALVES	29	31	4.4.3	24	
GOVERNOR OPERATED CAR SAFETY	30	32	3.5.1	24	7.1
SOS SWITCH	31	33	3.10.4(f) / 3.6.1	24	7.1
SLACK CABLE DEVICE (DRUM MACHINES)	32	34	3.8.2	24	7.6
NORMAL TERMINAL STOPPING DEVICES	33	35	4.6 & 3.9.1	24	7.2
FINAL TERMINAL STOPPING DEVICES	34	36	3.9.2	24	7.2
DRUM MACHINE LIMIT	35	37	3.9.2	24	
FUSE DISCONNECT OR CIRCUIT BREAKER	36	38	3.10.5 ²	24	1.1
REQUIRED NUMBER OF CONTROL RELAYS (DELETED)	37	39	Deleted	24	
GROUNDING (ART. 250-91)	38	40	3.10.11 ²	24	1.1
CAR SWITCH OPERATION	39	41	3.10.2	24	
CAR ENCLOSURES	40	42	3.4.1	24	5
EMERGENCY EXIT	41	43	3.4.4 ²	24	
APPROVED CAR TOP	42	44	3.4.1(c)	24	
CAR GATES	43	45	3.4.2(a)	24	
SAFETY TEST TAG	44	46	Sect 1.5	24	
FREIGHT LOADING SIGNS	45	47	3.7.5	24	4.5
GUARDING HOISTWAY WINDOWS	46	48	2.1.2	24	
DOOR FILLERS	47	49	3.4.3(c)	24	

¹ The rules noted still apply even when a freight elevator is reclassified to a VRL classification.

² These rules were added or amended in the Oregon Elevator Specialty Code.

³ Only applies where a separate machine room is provided.

⁴ Only a consideration on double-ended cars.