

INDEX

© 2006 International Association of Plumbing and Mechanical Officials. All rights reserved.

The copyright in this index is separate and distinct from the copyright in the document that it indexes. The licensing provisions set forth for the document are not applicable to this index. This index may not be reproduced in whole or in part by any means without the express written permission of IAPMO.

– A –

| | |
|---|---|
| Abandoned cesspools, grease interceptors, septic tanks, and seepage pits | 722.0, 1014.3.7 |
| Absorption area, capacity of | 1101.5.2 |
| Access panels | 203.0, 318.5, 404.2, 414.1, 1320.1.1 |
| Accessible, definition | 203.0 |
| Accessibility of: | |
| Backwater valves | 710.0 |
| Chemical waste system | 811.0 |
| Cleanouts | 707.0, 719.0 |
| Fixtures for inspection, repairs, and cleaning | 407.0 |
| Floor drain traps | 1006.0 |
| Grease traps or interceptors | 1009.0 |
| Industrial interceptors and separators | 1009.0 |
| Receptors | 804.0 |
| Regulator and relief valves | 608.0 |
| Shutoff and control valves | 605.0 |
| Slip joints | 404.2 |
| Sump and receiving tanks | 810.0 |
| Valves, water | 605.0 |
| Water heaters | 505.0 |
| Acrylonitrile-butadiene-styrene (ABS) | 203.0, 701.0, 707.1, 903.0 |
| Additions | 918-750-0120(2), 1327.1-2, 1330.8 |
| Additives, packing, prohibited | 705.1.5 |
| Advance notice for inspections | 1327.3 |
| Airbreak: | |
| Definition | 203.0 |
| Required | 801.1 |
| Airgap: | |
| Definition | 203.0 |
| Required | 603.3.5, 801.1, 806.0 |
| Air intakes, vent termination near | 906.0 |
| Air tank, for sumps | 710.0 |
| Air tests: | 712.3, 723.0, 1109.2.2 |
| Alterations and repairs: | |
| Deviations allowed | 301.1.4 |
| Alternate materials | 301.0 |
| Anchors and hangers | see Supports, 221.0 |
| Appliance: | |
| Connectors | 603.4.19, 604.12-14 |
| Indirect waste type | 806.0–808.0 |
| Application for permit | 918-780-0060 |
| Approval required: | |
| Appliances, fixtures | 301.0, 406.0, 505.0, 508.0, 610.0 |
| Backflow preventers | 603.0 |
| Ballcocks | 603.4.2 |
| Chemical waste system | 811.0 |
| Combination waste and vent system | 910.0, |
| Appendix B | |
| Completed plumbing work | IS 3 2.3.11, IS 3 2.4.7, IS 26 2.6-7 |
| Devices | 603.1 |
| Indirect waste receptors | 804.0 |
| Industrial interceptors and separators | 1009.0 |
| Materials, specifications, standards | 301.0, 707.0 |
| Plans | 918-780-0040(5), 918-780-0045(4), 910.2, 1108.1(13), 1312.1, 1502.1, 1613.0(B) |
| Seepage pit | 716.0 |
| Special fixtures | 406.0 |
| Vacuum breakers | 603.1 |
| Water heaters, gas | 505.0 |
| Water heaters, oil | 506.0 |
| Approved, general definition | 203.0 |
| Approved testing agency | 203.0 |
| Area Drain, definition | 203.0 |
| Asbestos cement pipe joint | 705.1.4 |
| Aspirator, definition | 203.0 |
| Aspirators, protection | 603.4.9 |
| Attachment, vertical piping | 314.0 |
| Authority Having Jurisdiction | 203.0 |
| Automatic: | |
| Clothes washer stand pipe | 608.5(2), Table 7.3, 711.0, 804.0 |
| Flushing tanks | 410.2 |
| Flush valves | 410.1&3 |
| Priming device, for floor drains | 1007.0 |
| Auto wash racks | 1011.0 |
| – B – | |
| Backfilling | 315.0 |
| Backflow | 204.0, 603.0 |
| Backflow connection | 204.0, 603.0 |
| Backflow preventer | see Cross-Connections, Back-Siphonage, 204.0, 205.0 |
| Backing for fixtures | 404.4 |
| Back-pressure backflow | 204.0, 603.0 |
| Back-siphonage | see Cross-Connections, Backflow Preventer, 204.0, 205.0 |
| Back-siphonage of traps, protection | 1002.0 |
| Back-to-back fixtures | 704.0 |
| Backwater valve | 204.0, 710.0 |
| Ballcocks, approval required | 603.4.2 |
| Baptistries | 406.1 |
| Bathub, prohibited type | 405.0 |
| Bell and spigot joints | 705.1 |
| Bell traps, prohibited | 1004.0 |
| Benching of trenches | 315.0, 720.0 |
| Blow off condensers | 810.0 |
| Boiler blowoff: | |
| Definition | 204.0 |
| Prohibited discharge | 810.0 |
| Bolts, noncorrosive | 407.4 |
| Bowl wax or gaskets | 316.3 |
| Branch, definition | 204.0 |
| Branch, fixture, definition | 204.0 |
| Branch, horizontal, definition | 204.0 |
| Branch vent, definition | 204.0 |
| Brass connections, ground joint | 705.3.3 |
| Brass pipe | 701.0, 604.0, 903.0 |
| Brazing or welding joints | 310.2, 316.1.7 |
| Building, definition | 204.0 |
| Building drain (sanitary) | |
| Definition | 204.0 |
| Size of | 703.0 |

OREGON PLUMBING SPECIALTY CODE

| | |
|---|---|
| Building drain (storm), definition | 204.0 |
| Building sewer | Chapter 7, Part II |
| Cleanouts | 719.0 |
| Combined, definition | 204.0 |
| Damage to | 306.0 |
| Definition | 204.0 |
| Distance from building and below ground | 720.0 |
| Grade and support of | 718.0 |
| Location of | 308.0, 718.0, 721.0, Table 7-7 |
| Material of | 715.0 |
| Must be on same lot as buildings | 308.0 |
| Required | 305.0, 713.0 |
| Sanitary, definition | 204.0 |
| Size of | 717.0 |
| Storm, definition | 204.0 |
| Testing of | 723.0 |
| Water pipe in trench | 720.0 |
| Building sewers and drains, existing | 710.5, 713.0, 719.3 |
| Building subdrain, definition | 204.0 |
| Building supply, definition | 204.0 |
| Burned lead joints | 705.1.3 |
| Burred ends | 310.3, 609.1, 701.2.1, 903.4 |
| Bushings, solder | 701.4.2, Table 7-2 |
| - C - | |
| Capacity of: | |
| Water closet tanks | 402.0 |
| Cast-iron soil pipe and fittings | |
| Joints and connections | 705.2.2 |
| Support of | 314.0 |
| Caulked joints | 705.1.1 |
| Caulking ferrules | 701.4, 705.3.3, Table 7-1 |
| Cement mortar joints, prohibited | 705.1.2 |
| Certificate of Final Approval | 918-780-0040(6)(c), 918-780-0045(5), 1327.13 |
| Certification by: | |
| Backflow assembly testers | 205.0, 603.1 |
| Medical gas certifiers | 1328.1.1 |
| Medical gas installers | 1311.3 |
| Medical gas systems | 1311.2 |
| Pipe welder | 225.0 |
| Cesspool: | |
| Abandoned | 722.0 |
| Connections to sewer prohibited | 714.3 |
| Definition | 205.0 |
| Must be on same lot as building | 308.0 |
| Change in direction of drainage piping | 706.0 |
| Check valves: | |
| In water systems | 608.3 |
| Chemical toilet, prohibited | 405.3 |
| Chemical waste | 205.0, 811.0 |
| Clarifier | 205.0, 1009.0 |
| Clay, vitrified | 701.0 |
| Joints and connections | 705.2.1 |
| Cleanout plugs or caps | 707.11-12 |
| Cleanouts | 707.11-12 |
| Clearance for: | |
| Water heaters | 505.3.1, 505.3.2 |
| Water heater vents | 505.3 |
| Clear water waste, definition | 205.0 |
| Clinic sink, definition | 205.0 |
| Closet bends, prohibited type | 311.3 |
| Maximum length | 1002.2 |
| Closet rings | 316.3, 316.3.2, 704.4 |
| Closet screw bolts | 704.4.5 |
| Clothes washer stand pipe | 804.0 |

| | |
|---|--|
| Code: | |
| Definition | 205.0 |
| Validity of | Preface v, 918-750-0150 |
| Combination fixture | 1001.0 |
| Combination waste and vent system | 205.0, 910.0, Appendix B |
| Combustion air, required | 502.2, 505.1, 508.14(3) |
| Common | 205.0, 905.0 |
| Compartments for: | |
| Water heaters | 505.0 |
| Compression joints | 316.1.5 |
| Concealed slip joints | 404.2 |
| Condensers and sumps | 810.0 |
| Control, shutoff valves | 605.0 |
| Connection: | |
| Indirect waste piping | 803.0 |
| To plumbing system, required | 304.0 |
| To sewer, required | 305.0, 713.0 |
| Construction, existing | 918-690-0420(7), 918-750-0120 207.0, 301.1.4, 312.0 |
| Contamination | 205.0, Table 6-2 |
| Continuous vent, definition | 205.0 |
| Continuous waste: | |
| Definition | 205.0 |
| Materials | 404.3 |
| Multiple fixtures | 1001.0 |
| Cooling units: | |
| Drains | 801.0 |
| Potable water waste pipes | 808.0 |
| Cooling water, connection permitted | 808.0 |
| Copper and lead pans | 411.8 |
| Copper pipe or tubing: | |
| Connection to screwed pipe | 316.2.1 |
| Fittings for | 604.0, 701.0, 903.0 |
| Forming | 609.1 |
| Joints and connections | 606.2.1 |
| Location and use of | 604.0, 701.1.4, 811.1, 903.0 |
| Marking of | 604.3 |
| Quality and weight of material | 604.2, 701.1.4 |
| Support of | 314.0 |
| Corrections, inspection | 918-785-0230(2), 1327.6, 1327.12 |
| Corrosion, protection from | 313.5, 609.3 |
| Cover plate | 707.9, 710.10 |
| CPVC—Chlorinated poly (vinyl chloride) | 205.0, 604.1, |
| Critical level | 205.0, 603.4.5 |
| Cross-connections | see Backflow, Back-Siphonage |
| Approval of preventive devices | 601.0-603.0 |
| Backflow preventers | 602.0-603.0 |
| Control | 601.0-603.0 |
| Critical level | 603.4.5 |
| Definition | 205.0 |
| Prohibited | 601.0-603.0 |
| Vacuum breakers | 603.2.2, 603.2.5, 603.2.6 |
| Cross-linked polyethylene (PEX), definition | 218.0 |
| Cutting of structural members | 313.2 |

- D -

| | |
|--|--------------------|
| Damage to drainage and sewer systems | 306.0, 714.0 |
| Dangerous or insanitary plumbing | 918-750-0120 |
| Defective material, gas | 603.1, 1397.7 |
| Definition of terms | Chapter 2, 502.0 |
| Department Having Jurisdiction, definition | 206.0 |
| Detrimental wastes | 307.0, 1009.0 |
| Developed length: | |
| Definition | 206.0 |
| Trap arm | 1002.0, Table 10-1 |
| Diameter, definition | 206.0 |

INDEX

- Dielectric insulator 508.1
 Direct connection of water piping to sewer 602.0–602.2,
 805.0, 807.1, 808.0
 Direct vent water heater 505.1
 Direction, change of 706.0–707.0, 719.0
 Discharge capacity, fixture 702.0
 Dishwasher connection, domestic 807.4
 Disposal fields for septic tanks 218.0
 Disposal of:
 Food waste 404.4, 714.4, 1001.3, 1014.1.3
 Liquid waste 303.0
 Distance of trap from vent 1002.2, Table 10-1
 Domestic sewage, definition 206.0
 Doors, shower stalls 411.6
 Double traps, prohibited 1004.0
 Downspout, definition 206.0
 Drain:
 Building, definition 204.0
 Fixture, definition 208.0
 Floor 411.0, 1006.0
 House, definition 210.0
 Sub-drains (showers) 411.8
 Drainage:
 Below curb and main sewer level 710.0
 By gravity required 709.0
 Change in direction . see Change in direction, drainage
 Connection to sump 710.0
 Connection to sewer or private
 disposal system 305.0, 713.0
 Damage to 306.0, 714.0
 Durham or recessed screwed fittings 701.2, 701.2.1
 Fittings, material 311.8, 701.2, 707.0
 Grade or fall 708.0, 718.0
 Indirect wastes chapter 8
 Length between trap and vent 1002.2, Table 10-1
 Material of 301.0, 701.0, 811.0
 Protection of 313.0
 Sizes of, minimum 703.0
 Steam and hot water 810.0
 Support 314.0, 718.0
 Waste and vent Table 7-5
 Drilling, improper notching 313.11
 Drinking fountains 405.1, 809.0
 Drum traps, vented 1004.0
 Durham system, definition 206.0
- E –
- Easements for sewers 308.1, 721.2
 Effective opening, definition 207.0
 Ejectors 710.0
 Excavations 315.0
 Exceptions:
 Connection to sewer 713.6
 Independent systems 312.0
 Vent size Table 7-5, 904.0
 Water piping 610.13, 720.0
 Excessive water pressure 608.2
 Existing work 207.0, 301.1.4
 Expansion joints 705.3.2
 Expansion of pipe, provision for 313.2
- F –
- Fall of sewers 718.0
 Faucets 601.0, 601.3
 Fees 918-770-0220, 918-780-0030, 918-780-0080
 Ferrules, caulking 701.4, 705.3.3, Table 7-1
- Fill, for building sewers 718.0
 Fittings:
 Cleanout 707.0, Table 7-6
 Drainage 701.2
 Inlet, for fixture connections 704.1
 Material of 604.0, 710.4
 Prohibited 311.0, 604.10, 903.3
 Screwed 311.8
 Threaded 311.8
 Water piping 604.0
 Fixture:
 Branch, definition 208.0
 Connections 704.0
 Drain, definition 208.0
 Flanged connection 316.3
 Supply 208.0, 601.1, 610.0
 Unit 208.0, 702.0
 Unit flow rate 610.3, 702.0
 Fixtures see Plumbing Fixtures
 Flagpoling of vents 906.3
 Flammable Vapor or Fumes 208.0
 Flanges 316.1–3, 704.4
 Flared joints 606.1.1, 705.3.3
 Flashing 313.8, 906.5
 Flood level 208.0
 Flood-level rim 208.0, 603.3.5
 Flooded, definition 208.0
 Floor drains 411.0
 Backwater valve required 1006.0
 Trap location and type 411.0
 Water supply 601.0
 Water trap supplies (primers) 1007.0
 Floor flanges see Flanges
 Floors, under shower compartments 411.0
 Flow rates, in fixture units 610.3, 702.0
 Flush tanks 208.0, 601.0
 Flush valves, definition 208.0
 Flushometer tank 208.0, 603.4.3
 Flushometer valve 208.0, 603.4.1, 610.10, Tables 6-5 & 6-7
 Flux, solder 316.1.3
 Food-handling equipment 801.2
 Food waste disposal unit 404.4, 714.4, 1014.1.3
 Freezing, protection of pipes 313.6, 609.1
- G –
- Gang or group showers, definition 209.0
 Garbage grinder see Food Waste Disposal Unit
 Food waste disposer 1014.1.3, 404.4
 Gas piping:
 Defects, cracks, splits, prohibited 310.0
 Gas water heater; see definition 502.15
 Approval requirements 501.0
 Clearances 505.3
 Draft hoods 505.3
 Inspections 504.0
 Oil burning or other 506.0
 Permits required 503.0
 Pressure-relief valves 608.0
 Prohibited locations 505.1
 Protection 505.4, 506.0
 Sealed combustion 502.7
 Gas water heater vent:
 Definitions 502.0
 Draft hoods 505.3
 Inspections 504.0
 Grade:
 Building sewer 718.0

OREGON PLUMBING SPECIALTY CODE

| | |
|---------------------------------|---------------|
| Definition | 209.0 |
| Horizontal drainage | 708.0 |
| Gravity drainage required | 709.0 |
| Gravity supply tanks | 607.0 |
| Gray water systems | Chapter 16 |
| Grease interceptors | Chapter 10 |
| Definition | 209.0 |
| Design and construction | Chapter 10 |
| Where required | 1009.0-1014.0 |
| Grease traps: | |
| Construction and design | 1014.0 |
| Definition | 209.0 |
| Sizes | Table 10-2 |
| Ground joint connections | 705.3.3 |
| Grounding | 604.8 |

- H -

| | |
|--|------------------------------------|
| Hangers | see Supports |
| Harmful waste | see Waste, detrimental and harmful |
| Health and safety | 918-770-0050 |
| High hazard | 210.0, Table 6-1 |
| Horizontal branch | 210.0, 703.0 |
| Horizontal pipe, definition | 210.0 |
| Horizontal-to-horizontal drainage fittings | 706.0 |
| Horizontal-to-vertical drainage fittings | 706.0 |
| Horizontal vent pipes | Table 7-5, 904.0 |
| Hose connections | 603.2.3 |
| Hot-mopped shower pans | see Shower pans |
| Hot water boiler | Table 14-1 |
| Hot water pipe sizing | 610.0 |
| House drain | see Building sewer |
| House sewer | see Building sewer |

- I -

| | |
|---|-----------------|
| Identification: | |
| Copper tubing | 604.3 |
| Gas piping | 301.1.2, 1003.1 |
| Piping, fittings, traps, and fixtures | 301.0 |
| Required | 601.2 |
| Water lines, nonpotable | 316.4, 317.0 |
| Increases | 312.0 |
| Independent system of sewers | 312.0 |
| Indirect waste: | |
| Appliances | 807.0 |
| Condensers and sumps | 810.2 |
| Cooling water | 808.0 |
| Drinking fountains | 809.0 |
| Food-handling equipment | 801.2 |
| Sterilizing equipment | 801.5, 806.0 |
| Indirect waste piping: | |
| Approval required | 802.0 |
| Cleanouts | 803.0 |
| Connections | 805.0 |
| Definition | 211.0 |
| Hot water | 810.0 |
| Maximum length | 803.0 |
| Required | 801.0 |
| Size of | 803.0 |
| Steam and hot water | 810.0 |
| Vents | 803.0 |
| Indirect waste receptors: | |
| Approval required | 802.0 |
| For clothes washers | 804.0 |
| Materials | 802.0 |
| Prohibited location | 804.1 |
| Required water supply | 601.0, 1007.0 |

| | |
|--|--|
| Size of | 804.1 |
| Individual vent | 211.0, Table 7-5, 1014.1 |
| Industrial interceptors and separators | 1009.0-1012.0 |
| Industrial wastes | 211.0, 307.0 |
| Approval required | 811.1, 1009.2 |
| Disposal | 811.0 |
| Materials | 811.2, 1009.2 |
| Pretreatment | 811.1 |
| Inlet fittings for fixture connections | 704.2 |
| Insanitary: | |
| Definition | 211.0 |
| Inspection and testing: | |
| Abandoned sewers, cesspools | 722.0 |
| Building sewer | 723.0 |
| Concealment of work, prohibited | |
| before inspection | 712.2, 1109.2.1, IS 2 3.4.3, IS 15 2.5.7.2 |
| Final | 504.2 |
| Flues and vents | 504.0 |
| Water heaters | 504.0 |
| Water piping | 609.0 |
| Inspector | see Authority Having Jurisdiction |
| Installation of: | |
| Building sewer: | 715.0, 717.0, 718.0 |
| Cleanouts | 707.0, 719.0, 803.0, Table 7-6 |
| Devices to prevent cross-connections | 602.0, 603.0 |
| Drainage piping system | Chapter 7 |
| Fixtures | 407.0 |
| Floor drains and shower stalls | 411.0 |
| Overflows | 403.0 |
| Urinals | 402.3, 405.2, 407.0, 409.0, 410.0 |
| Vents | Chapter 9 |
| Water piping system | 609.0 |
| Insulator, dielectric | 508.1 |
| Intake, air, vent termination near | 906.2 |
| Integral traps | 1001.1, Table 7-3 |
| Intercepting hoppers or sink | see Receptors |
| Interceptors: | |
| Abandoned | 1014.3.7 |
| Auto wash rack | 1011.0 |
| Cleaning required | 1009.6 |
| Cleanouts, location | 707.8 |
| Definition | 209.0 |
| Design | 1014.3.3 |
| Effluent sampling | 1014.3.5.1 |
| Grease | 1009.0-1015.0 |
| Industrial | 1009.0 |
| Location | 1009.5, 1014.3.4 |
| Maintenance | 1009.6 |
| Packing establishments | 1010.0 |
| Required | 1009.1 |
| Sizing | 1014.2.2, 1014.3.6, 1015.4 |
| Slaughterhouse | 1010.0, 1014.2.2 |
| Vent | 902.0 |
| Waste discharge requirements | 1014.1 |
| Intermixing of metals prohibited | 311.6, 604.1 |
| Invert, definition | 211.0 |
| Iron pipe size (IPS) pipe | 302.0 |
| Island fixture, venting | 909.0 |

- J -

| | |
|----------------------------|-------------------------|
| Additives prohibited | 705.1.5 |
| Brazed | 212.0, 316.1.7, 609.3.2 |
| Cast iron | 705.1, 705.2 |

INDEX

- Cement mortar, prohibited 705.1.2
 - Compounds, thread lubricants 316.1.1
 - Compression 316.1.5, 606.2.1
 - Copper to iron 311.6, 316.2.1
 - Copper tube 316.2.1, 606.2.1
 - Earthenware to metal 316.3.1
 - Elastomeric gasketed 705.1.7
 - Expansion 705.3.2
 - Fixture 316.3, 407.0
 - Flexible 316.1.5
 - Floor-mounted 316.3
 - Ground joint unions 705.3.3
 - Hubless cast iron 705.1.9
 - Increases and reducers 317.0
 - Lead 316.1.2, 705.1, 705.2.4
 - Mechanical 606.1.2
 - Molded rubber 705.1.6
 - Prohibited fittings and practices 311.0, 316.4, 317.0
 - Rubber ring 705.1.7
 - Screwed 316.3.1
 - Shield coupling 705.1.8
 - Slip 404.2, 705.3.1, 1003.2
 - Soldered or sweat 212.0, 316.1.3
 - Solvent cement 316.1.6
 - Special 316.2
 - Threaded 316.1.1
 - Tightness IS 9 2.7.9
 - Tubing 316.1.3, 316.2.1, 606.2.1
 - Union 316.2.2, 609.5
 - Vitrified clay 705.2.1
 - Welded 225.0, 705.1.3
 - Wiped 316.1.2
 - Jurisdiction, Department Having, definition 206.0
- K -
- Kitchen sinks, prohibited types 405.3
- L -
- Labeled, definition 214.0
 - Laboratories, chemical 811.0
 - Laundry tubs 1003.1
 - Lavatories 413.1
 - Lavatories in sets, definition 214.0
 - Lawn sprinklers 603.4.6
 - Lead joints see Joints, Lead and Connections
 - Lead:
 - Sheet 401.2, 701.3
 - Shower receptor 411.8
 - Lead pipe:
 - Traps and bends 701.3
 - Leader, definition 214.0
 - Length:
 - Developed, definition 206.0
 - Drainage piping 703.0, Table 7-5
 - Vent piping Table 7-5, 904.0
 - Liquid waste:
 - Definition 214.0
 - Disposal of 303.0
 - Listed 214.0
 - Listing Agency, definition 214.0
 - Loading, fixture unit Table 6-5, Tables 7-3 & 7-4
 - Location of:
 - Backwater valve 710.1, 710.4, 710.6
 - Fixtures 309.0
 - Industrial interceptors and separators 1009.0
 - Plumbing or sewer on lot 308.0, 721.0, Table 7-7
 - Pressure-relief, regulator, or check valves 608.0
 - Private sewage disposal system 308.0
 - Secondary protection, water heaters 506.2
 - Shutoff valves 605.0
 - Temperature relief valves 608.3
 - Vent terminals 906.0
 - Water heaters 505.0, 508.0
 - Lot, definition 214.0
 - Lot line, termination of vents from 906.0
 - Low hazard 214.0, Table 6-2
 - Lubricants, thread 316.1.1
- M -
- Macerating Toilet System, definition 215.0, 710.13
 - Main, definition 215.0
 - Sewer see Public Sewer
 - Vent, definition 215.0
 - Water main 225.0
 - Maintenance 1007.0, 1009.6, 1014.6
 - Material:
 - Alternate 301.2, 406.3
 - Approval required 301.0
 - Backwater and gate valves 605.4, 710.4, 710.6
 - Building drain 701.0
 - Building sewer 715.0
 - Cleanouts 707.0
 - Combustible, definition 502.6
 - Condensers 810.2
 - Drainage systems 701.0
 - Fittings 301.0, 311.0, 707.2, 710.4, 710.6
 - Marking of 301.0, 604.3, 710.6, 716.0, 1003.1
 - Protection of 315.4
 - Showers 411.0
 - Shower control valves 418.0
 - Soil and waste pipes 701.0
 - Specifications, standards 301.0
 - Sumps 710.8
 - Thread lubricants 316.1.1
 - Valves and fittings 605.0
 - Vents 903.0
 - May, definition 215.0
 - Meat packing and slaughterhouses 1010.0
 - Medical gas systems Chapter 13
 - Metals, intermixing prohibited 311.6
 - Meters, water 610.1, 610.8, Appendix A
 - Minimum standards 301.0
 - Mobile home parks and
 - recreational vehicle parks Appendix E
 - Mortar, cement joints prohibited 705.1.2
- N -
- Natural gas, specific gravity IS 12 2.9.2, IS 12 Table 1
 - Nipples, soldering 316.1.2
 - Non-corrosive bolts 407.3, 407.4
 - Notching 313.2
 - Nonpotable water piping 603.4.11, 610.13(6)
 - Notice of inspection 918-785-0220
 - Nuisance 216.0, 713.6
- O -
- Obstructions to flow 311.5, 316.4.1-2
 - Offset 217.0, 706.4, 905.3
 - Oil interceptors 1009.0

OREGON PLUMBING SPECIALTY CODE

| | | | |
|--|--|--|--|
| Opening, effective, definition | 207.0 | Backing of | 407.2, 407.4 |
| Open trench work | 315.3 | Back-to-back | 704.2 |
| Overflow: | | Below curb or sewer level | 710.1-2 |
| For gravity supply tank | 607.0 | Chemical resistant | 406.3 |
| Plumbing fixture | 403.0 | Clearance from wall, toilet, urinal | 407.6 |
| Rim, flood-level rim | 208.0, 403.0 | Connections, drainage | 316.3, 404.0, 406.0, 704.1 |
| - P - | | Control valves | 605.0 |
| Packing additives prohibited | 705.1.5 | Distance from traps | 1001.2, 1001.4, 1002.2, Table 10-1 |
| Packing houses, grease interceptors required | 1010.0 | Floor drains and showers | 411.0, 1006.0 |
| Percolation tests | 1101.5.3.1 | Improper location of | 309.0 |
| Permit, required | 503.0 | Indirect connection | 804.1 |
| Photographic studio sinks, waste from | 811.8 | Indirect waste | 804.0 |
| Piping: | | Installation of | 407.0 |
| Building, adjacent to | 313.4 | Island | 909.0 |
| Building supply size | 610.0 | Joints | 316.0, 404.0, 406.1-407.0 |
| Cleanout | 707.0, 719.0 | Material of | 401.0, 406.3, 411.0 |
| Compounds, thread lubricants | 316.1.1 | Must be connected to sewer | 304.0, 305.0 |
| Diameter, definition | 206.0 | Must be provided with trap | 1001.0 |
| Drainage, horizontal, grade of | 708.0 | Overflows | 403.0 |
| Drainage piping, size of | 703.0 | Prohibited | 311.0, 311.5, 405.0, 410.3, 910.0 |
| Embedded in masonry or concrete | 313.2 | Required | 411.1 |
| Hangers and supports | 314.0 | Setting | 316.3.1, 407.6 |
| Horizontal, definition | 210.0 | Size of waste for | 702.0, 703.0, Table 7-3 |
| Hot water, size of | 610.0 | Special fixtures | 406.0 |
| Improper location | 309.0 | Standards | 401.0 |
| Joints | 316.0, 317.0, 606.0, 705.0 | Strainers and connections | 404.0 |
| Nonpotable water | 603.4.11 | Supply and waste connection, access to | 404.2 |
| Protection from freezing | 313.6 | Supply fittings | 407.8 |
| Protection required | 313.0, 315.0, 609.3 | Unit equivalent | 610.3, 702.0, 703.0, Tables 6-5, 7-3 & 7-4 |
| Size of; see Diameter | 302.0, 703.0, 904.0, 610.0, | Water supply required | 601.0 |
| Reaming | 310.3, 609.1, 701.2.1, 903.4 | Pollution | 218.0 |
| Sizes of | 302.0, 904.0 | Polyethylene (PE) | 604.11 |
| Soil, definition | 221.0 | Polypropylene (PP), definition | 218.0 |
| Special wastes | 221.0, Chapter 8 | Polyvinyl Chloride (PVC) | 218.0, 604.1, 701.1, 701.2 |
| Threads | 311.8, 316.1.1, 701.2.2 | Potable water: | |
| Tube, forming | 609.1 | Definition | 218.0 |
| Underground | 316.2.2, 604.2, 701.1.1, 903.1.1, 903.3, | Protection of | 602.0, 603.0 |
| Vent | 224.0, Chapter 9 | Supply required | 601.0 |
| Vertical | 224.0, Table 3-2, Chapters 7 & 9 | Unlawful connection to | 602.0 |
| Waste | 225.0, Chapters 7 & 8 | Poured joints | 705.1.1 |
| Waste, indirect | 211.0, Chapter 8 | Pressure drainage connections prohibited | 805.0 |
| Water, materials | 604.0 | Pressure, excessive, water | 608.2 |
| Water, size of | 610.0 | Pressure losses, water | 610.0 |
| Water-distributing, definition | 225.0 | Pressure regulator, when required | 608.2-6 |
| Welder, definition | 225.0 | Pressure-relief valve | 505.4, 505.6, 506.2, 608.0 |
| Wrapping | 609.3.1 | Preventer, backflow | 204.0, 603.2 |
| Pit, seepage | 221.0, Table 7-7, 722.0 | Primary settling tank | 902.1 |
| Plans required or may be required | 802.0 | Private or private use, definition | 218.0 |
| Plastic joint solvent cement | 316.1.6 | Private sewage: | |
| Plugs, caps, cleanout | 707.1-2 | Disposal system | 218.0 |
| Plumbing: | | General | 716.0 |
| Appliance, definition | 218.0 | Location | 721.0, Table 7-7 |
| Appurtenance, definition | 218.0 | Private sewer, definition | 218.0 |
| Connected to sewer or private | | Private water supply | 602.2, 602.4 |
| disposal system | 304.0, 305.0, 713.0 | Prohibited: | |
| Definition | 218.0 | Additives, packing | 705.1.5 |
| Inspection of | 918-780-0035, 918-785-0200, | Cement mortar joints | 705.1.2 |
| | 918-785-0210 | Concealment of defects | 310.2 |
| Installation, material for | Chapter 7 | Connections, rainwater | 306.2 |
| Official | .see Authority Having Jurisdiction | Connections, waste | 403.0, 801.1, 801.2, 805.0, 806.0 |
| Repair | 918-780-0035 | Connections, water | 602.0 |
| System, definition | 218.0 | Copper tubing, use of | 903.2.3 |
| Plumbing fixtures | 218.0, 401.1 | Damage to drainage system | 306.1, 313.0 |
| Accessibility | 407.1, 407.6 | Defective material | 301.1.1 |
| Alternate materials | 301.2, 406.3 | Direct drainage | 603.3.5, 801.1, 810.1 |
| | | Double trap fixture | 1004.0 |

INDEX

Drinking fountain location 405.1
 Fittings 311.0, 316.4
 Fixtures 311.5, 405.0, 408.2
 Food waste disposal, connection to 1001.3, 1014.1.3
 Gas water heaters in bathroom, bedroom 505.1
 Industrial waste disposal 307.0
 Joints and connections 316.4, 606.2.2, 705.1
 Pipes in masonry 313.2
 Practices 310.2, 311.0, 313.2, 313.4,
 313.6, 316.4, 602.0, 714.0
 Receptors, location of 804.1
 Trap joints 1003.0
 Traps 1004.0
 Trough type urinals 405.2
 Urinals and water closets on
 combination waste and vent 910.7
 Water piping in drainage or sewer trench 720.0
 Zinc alloy die cast components 406.4
 Property line, termination of vent 906.2
 Protection from:
 Corrosion 313.1, 313.5, 609.3.1
 Freezing 313.6
 Protection of:
 Piping materials and structures 313.0
 Potable water supply 603.0
 Trap seal 1002.1, 1005.0, 1007.0
 Water heaters 505.3, 506.2
 Public, or public use, definition 218.0
 Public sewer, definition 218.0
 Public shower floors 411.1

- Q -

Quality and weight of materials,
 general regulations Chapter 3
 Quality of fixtures 401.1

- R -

Rain and surface water drains 306.2, 714.2
 Rainwater systems Chapter 11, Appendix D
 Rate of flow, fixture unit 610.0, Table 6-5, 702.0, Table 7-3
 Reaming pipes 310.3, 606.1.1, 701.2.1, 903.4
 Receiving tank or sump 710.2-3, 710.7-10, 710.13.1
 Receptors:
 Accessible 804.1, 811.4
 Approval required 802.0, 804.1
 Connected indirectly to sewer 801.1-2
 Definition 220.0
 Indirect waste 804.0
 Maximum distance from fixture 804.1
 Required 801.1-2, 811.1
 Shower, shower stalls 411.0
 Size of trap, vent, waste 803.0
 Type and size 804.1
 Recessed or Durham fittings 206.0, 701.2.1
 Reclaimed water Chapter 16
 Recommended loadings, sewage
 disposal Table 7-5
 Reducer, where required 317.0
 Refrigerators Table 7-3, 801.2
 Regulators, relief valves on water supply 608.2-6
 Relief vent 220.0, 907.0
 Connections 805.0
 For closed condensers, sumps, interceptors 810.1-2,
 1009.0
 Remote outlet, definition 220.0
 Repairs and alterations to plumbing and
 drainage system 918-780-0035

Required:
 Plumbing fixtures 411.1
 Sewer connections 304.0, 305.0
 Vents 901.0
 Restaurant, grease trap 1014.1
 Rim:
 Definition 220.0
 Flood level 208.0, 603.3.5, 603.4.9, 905.3, 909.0
 Rise:
 Horizontal vent 905.3
 Vents above fixture 905.3
 Riser 220.0, 610.1
 Roof drains 220.0, 306.2
 Roof supply tanks 607.0
 Roof, termination of vents above 906.1
 906.3, 906.7
 Roughing-in, definition 220.0
 Running water, required 601.1

- S -

Saddle, sleeve, band outlets, prohibited 311.1
 Safety devices 502.3, 603.3-14, 608.0,
 Sand interceptor:
 Cleanout for 707.8
 Definition see Interceptor
 Design 1009.1, 1009.3
 Required 1016.1
 Required for steam exhaust or blow off 810.0, Table 8-1
 Secondary 902.1
 Type of trap 1009.2
 Vent, required and not required 901.0, 902.0,
 1002.1-2, 1002.4
 Water seals 1007.0
 Sanitary tees, permissible use 706.2
 Screw pipe, supporting of 314.0
 Screw pipe to cast iron 705.2.3
 Screw pipe to copper tubing 316.2.1
 SDR, definition 221.0
 Seal, trap; see Trap, seal 1005.0, 1007.0
 Screw joints 316.2.1, 705.2.3
 Secondary energy protection 505.3, 506.2
 Secondary sand interceptors 902.0
 Secondary temperature limiting device 506.2
 Seepage pit 221.0
 Abandoned 722.0
 Location 721.0, Table 7-7
 Self-cleaning traps Table 7-3, 1003.1
 Separate plumbing and drainage systems 312.0
 Separate venting 811.6, 906.3
 Separator 1009.0
 Septic tanks 221.0
 Abandoned 722.2-5
 Connections to sewer prohibited 714.3
 Location of 721.0, Table 7-7
 Wastes, connection to 714.3
 Setting fixtures 316.3.1, 407.6
 Settling tank 902.1
 Sewage:
 Definition 221.0
 Disposal of 303.0, 305.0, 709.0, 713.0, 714.0,
 Sewage disposal system, private
 Construction 713.3
 Holding tank 714.5
 Location 721.0, Table 7-7
 Sewage ejector, definition 221.0
 Sewage pump, definition 221.0

OREGON PLUMBING SPECIALTY CODE

| | | | |
|---|---|--|---|
| Sewers | Chapter 7 | Soil stack, minimum size | 703.0 |
| Abandoned | 722.0 | Solder, bushings and ferrules | 316.1.2, 701.4.2, Tables 7-1 & 7-2 |
| Adjacent to walls | 715.1, 718.3, Table 7-7 | Solder fluxes | 316.1.3 |
| Available | 305.2, 713.2, 713.4 | Solder joints | 212.0, 316.1.2-3, 316.2.1, 316.3.1, 606.2.1, 705.3.4 |
| Building, material of | 701.0, 715.1 | Spacing: | |
| Building sewer | 204.0, Chapter 7 | Pipe supports | 314.1, 314.7, Table 3-1 |
| Cleanouts | 719.0 | Special fixtures | 406.0, 406.3 |
| Connection to, required | 304.0, 305.0, 713.0 | Special joints | 316.2.1 |
| Construction of | 715.0-719.0, Table 7-7 | Special waste pipe | see Industrial Waste |
| Damage to | 306.1, 714.1, 811.1 | Special wastes: | |
| Depth of | 708.0, 718.3 | Acid and chemical | 811.0 |
| Easements for | 721.2 | Definition | 221.0 |
| Ejectors | 710.2 | High temperatures | 810.1, Table 8-1 |
| Existing | 312.0, 705.1.2, 713.6 | Laundries, bottling works, wash racks | 702.0, 711.0, 1012.0, 1013.0 |
| Grade and support of | 708.0, 713.6, 718.0 | Specific gravity, natural gas | IS 12 Table 1 |
| Independent system required | 312.0 | Specifications for materials | Chapter 3, Table 14-1 |
| Installed on made or filled-in ground | 718.2 | Stack | 221.0, 311.4, 705.3.2, 711.0, 904.0, 906.1, 907.0 |
| Location | 308.0, 313.0, 718.0, 720.0, 721.0, Table 7-7 | Standards for materials | Chapter 3, Table 14-1 |
| Materials | 715.1, 718.3, 720.0 | Standpipe, clothes washer | 804.1 |
| Mobile home | 215.0, Appendix E | Steam exhaust condenser or blow off | 810.0, Table 8-1 |
| Must be on same lot as building | 308.1, 312.0, 721.1 | Sterile equipment | 806.0 |
| Pipe joints | 705.1, 705.3.1 | Storage tanks: | |
| Private sewage disposal system | 218.0, 305.1-2, 713.1-2, 713.6 | Gravity | 607.0 |
| Public, definition | 218.0 | Hot water | 506.2 |
| Public, damage to | 306.1, 714.1 | Storm drain, definition | 221.0 |
| Required | 305.1-2, 713.1-2, 713.6 | Storm sewer, definition | 221.0 |
| Size of building | 710.5, 717.0, Table 7-8 | Strainers | 404.1, 410.1 |
| Water pipe in trench | 720.0 | S-trap prohibited | 1004.0 |
| Shall, definition | 221.0 | Street main; see Water main | 225.0, 610.7, Table 6-5 |
| Sheet lead | 411.8, 701.3 | Structural condition safety | 313.11 |
| Shielded couplings | 221.0, 705.1.8 | Studding and joists, cutting of | 313.2 |
| Shock arrester, definition | 221.0 | Sub-drain, shower stalls | 411.8 |
| Short turn 1/4 bend, prohibited | 311.5, 706.1 | Subsoil drain, definition | 221.0 |
| Should, definition | 221.0 | Substitute materials | 301.2 |
| Shower stall or compartment | 411.7 | Suds relief | 711.0 |
| Showers, gang, drainage | 209.0, 411.9, Table 7-3 | Sump: | |
| Shower pans | 411.8 | Boiler room, installation | 810.1, 810.3 |
| Shower receptors | 411.8 | Building, backwater devices | 710.2 |
| Shutoff valves | 605.0, 710.4 | Building drainage systems below sewer level | 710.2 |
| Single-family dwelling, definition | 221.0 | Condensers | 810.0, Table 8-1 |
| Sinks: | | Construction | 810.2 |
| Chemical, special use | 406.3 | Definition | 221.0 |
| Island | 909.0 | Pump connection permitted | 710.2-3, 710.9, 805.0, Table 7-4 |
| Prohibited | 405.3 | Pump discharges, conversion to fixture units | 710.4, Table 7-4 |
| Sinks and laundry tubs | 1001.2-3 | Sewage | 710.0 |
| Types prohibited | 405.3 | Vent | 710.7, 710.10, 810.1, Table 8-1 |
| Size of: | | Supply: | |
| Building sewer | 703.0, 705.0, 717.0, Tables 7-3, 7-8 | Control valves, water | 605.0 |
| Combination waste and vent piping | 805.0, 910.0, Appendix B | Fittings, fixtures | 407.8 |
| Combustion air vents | 506.1 | Fixture, definition | 208.0 |
| Drainage piping, minimum | 703.0, 707.3, 707.10 | Hot water | 601.3, 602.1, 604.1 |
| Indirect waste pipes | 803.0 | Non-potable water | 603.4.11 |
| Pipe cleanout | 707.11, Table 7-6 | Pipe, size of | 610.0, Table 6.5 |
| Septic tank | Table 7-3 | Potable water, protection | 603.0, 603.2.5 |
| Trap | 702.0, Table 7-3, 910.4, 910.6, 1003.3, 1006.0 | Tank, water | 607.0, 608.1, 608.3 |
| Vent pipes | 710.10, Table 7-5, 810.1, 904.0, 905.4, 906.3, 908.2, 908.3, 910.3, | Trap, seal | 1004.0, 1005.0, 1007.0 |
| Vent stack | Table 7-5, 904.0, 907.1 | Water, quality of, source of | 601.1 |
| Water piping | 609.0, 610.0 | Supports and hangers | 221.0, 314.0, Table 3-2, 609.1 906.4 |
| Slaughterhouses | 1010.0 | Surface water, discharge | 307.2, 714.2, 811.1 |
| Slip joints | 316.1.5, 705.1.6, 705.1.8-9, 705.3.1, 705.3.3 | Surrounding material, urinals | 407.4-5 |
| Slip joints, traps | 705.3.1, 1003.2 | Sweat joints | 316.1.3, 316.2.1 |
| Slope | see Grade | | |
| Softener | 610.2 | | |
| Soil pipe | 221.0, 311.2, 311.4, 311.6, 704.4.1, 704.4.3, 705.1.9, 722.2, 1002.4 | | |

INDEX

- System:
- Combination waste and vent 205.0, 910.0
 - Drainage 206.0, 712.0
 - Durham, definition 206.0
 - Independent 312.0
 - Plumbing, definition 218.0
 - Vent 224.0, 712.0
 - Water supply 225.0, 609.0, 712.0
- T -
- Tailpiece:
- Connection 807.2, 910.5-6
 - Maximum length of 910.5
- Tanks:
- Automatic flushing, urinals 410.2
 - Boiler blow off; see Condensers and Sumps 810.1, Table 8-1
 - Flush 208.0, 403.0, 407.4, 410.2, 601.1, 603.3.8, Table 7-3
 - Gravity supply 607.0
 - Hot water storage 608.3, 608.6
 - Inlet to 603.4.2, 603.4.5, 710.9, 810.1
 - Material 710.8, 810.2
 - Primary settling 902.1
 - Septic see Septic Tank
 - Water closet 403.0, 405.1, 601.1, 603.4.2-3
 - Water supply 602.1, 607.0, 608.1, 608.3
 - Water supply, overflow 603.4.2, 607.0, 805.0
- Temperature-limiting devices 505.5
- Temperature-relief valves 505.5, 505.6
- Termination of vents 906.1
- Tests:
- Air 712.3, 723.0, 1109.2.2, 1528 2.7(B)
 - Alternate materials, methods 301.2.1
 - Building sewer 723.0
 - Concealing of work prohibited
 - Final 712.1
 - Percolation 1101.5.3.1
 - Required 319.0, 603.3.4
 - Shower receptors 411.8.1
 - Testing agency 301.2.1, 610.2
 - Waived 918-785-0200(b)(B)
 - Water supply system 610.2
 - Threaded joints 316.1.1, 316.2.1, 705.2.3
 - Threaded fittings 311.2, 316.1.1, 316.2.1, 705.2.3
 - Thread lubricants 316.1.1
 - Three-compartment sinks 1001.2
- Toilets:
- Connections 316.4.2
 - Prohibited type 405.1
- Trap
- Arm 222.0, 1002.2-3, Tables 7-3, & 10-1
 - Drum 1004.0
 - Exceptions for 1001.2-3, 1002.3
 - Floor drain 1003.1, 1006.0, 1007.0
 - For sumps, condensers 810.1
 - For three-compartment sinks or three lavatories 1001.2
 - From fixture, distance of 1001.4
 - From vent, distance of 704.2, 1002.2, Table 10-1
 - Grease 209.0, 1014.0, Tables 7-3, & 10-2
 - Ground metal joints 705.3.3
 - Horizontal distance from vent 704.2, 1002.2, Table 10-1
 - Indirect connection required 801.0
 - Industrial interceptors and separators 1009.0
 - Integral 1001.0
 - Material of 301.1.1-2, 807.3, 1003.1
 - Minimum size 702.0, 1003.3, Tables 7-3 & 7-5
 - Prohibited types 1004.0
 - Protection 603.3.8, 1002.1-2
 - Required 1001.0
 - Seal 222.0, 1005.0, 1007.0
 - Separate for each fixture 1001.1
 - Size 1003.3, Table 10-1
 - Slip joints in 705.3.1, 1003.2
 - Union joint in water seal 316.2.2, 1003.2
 - Unit loading 702.0, Table 7-5
 - Vents for 810.1, 901.0, 905.2, 905.5, 908.1, 909.0, 910.5, 1002.0, Tables 7-5 & 10-1
 - Vent not required for 902.0
 - Water seal 1005.0
 - Weir 905.5, 1001.4, 1002.2, 1002.4
 - Where required 1001.0
- Trenching, excavation, and backfilling 315.0, 718.0, 720.0
- Trough urinals, prohibited 405.2
- Tubing, copper 316.1.3, 316.2.1, 604.1-4, 604.7, 606.1.1, 606.2.1, 609.3.2, 701.1.4, 705.3.3
- Tunneling 315.2
- U -
- Unconfined space, definition 223.0
- Underground:
- Copper tubing 604.2, 701.1.4
 - Drainage material 316.2.2, 701.0
 - Vent material 316.2.2, 701.1.4, 903.1.1, 903
 - Water pipes 609.0, 720.0
- Units:
- In vents 316.2.2
 - Joint in seal of trap 1003.2
 - Where allowed 316.2.2
- Unit, fixture 208.0, 610.3, 702.0, Tables 6-5 to 6-7 & 7-3
- Unit loading of traps 702.0
- Unlawful connections 602.0
- Unsanitary, definition 223.0
- Urinals 316.3.1, 402.3, 403.0, 405.1, 407.6, 409.0, 601.1, 707.4(1), 1003.1, Tables 7-3 & 7-5
- Use of alternate material 301.2
- Use, private, definition 218.0
- V -
- Vacuum breaker 224.0, 409.0, 603.2.2, Tables 6-2, 6-3
- Vacuum relief valve, definition 224.0
- Validity of code Preface v, 918-750-0150
- Valves
- Backwater 710.0
 - Check 603.2.4, Table 6-2
 - Flush, definition 208.0
 - Flushometer 410.2-3, 610.10, Table 6-7
 - For drainage 710.4
 - For water 605.0
 - Hose outlet protection 603.3.8
 - Required 605.0
 - Temperature and pressure relief 608.0
- Vent or vent pipe:
- Below trap weir 905.5, 1002.4
 - Branch, definition 204.0
 - Changes in direction of 903.4
 - Chemical 811.2, 811.5-6
 - Combination waste system design 205.0, 910.0, Appendix B
 - Common vent 205.0, 908.3
 - Connections 311.2, 805.0, 905.1, Table 8-1
 - Continuous, definition 205.0

OREGON PLUMBING SPECIALTY CODE

Distance of trap from 1002.2, Table 10-1
 Double fitting for 704.2, 905.6
 Drain and waste Table 7-3, Chapter 7
 Fittings Table 7-5
 Fixtures, back-to-back 704.2, 905.6
 Flagpoling, prohibited 906.3
 Flashing for 313.8, 906.1, 906.5
 Grade of 905.1, 905.3
 Height above fixture 905.3, 909.0
 Horizontal Table 7-5, 904.2, 905.3
 Indirect waste 801.1-2, 803.0, 805.0, 810.1, 902.0
 Individual, definition 211.0
 Interceptors 902.1, 1009.0
 Island sinks and fixtures 909.0
 Length of Table 7-5, 904.0
 Material for 811.2, 903.0
 Method of installation 311.5, 903.0, 906.4
 Minimum size in each building Table 7-5, 904.0
 Not required 803.0, 902.0
 Not to be used as soil or waste pipe 311.4
 Opening location 905.5, 1002.4
 Parallel, connection 907.1
 Pipe, grade and connection 905.1, 905.3
 Prohibited location of 903.1.1-2, 903.3
 Receptors 811.2
 Relief 220.0, 805.0, 907.0, 1009.4
 Required 710.0, 901.0, 904.1
 Required separately on every trap 901.0, 902.1, 1002.1-2
 Sizing Table 7-3, 710.4-5, 904.0, 905.4, 908.0, 910.4
 Special 909.0
 Stack 224.0, 311.4, 906.1, 907.0
 Steam, exhaust 810.0
 Sump 710.7, 710.10, 810.1, Table 8-1
 System, definition 224.0
 Ten stories or more 907.1
 Termination 906.0
 Undiminished through roof 905.4, 907.1
 Unit loading Table 7-5
 Vertical wet see Wet Vent
 Wet see Wet Vent
 Yoke 227.0, 907.0
 Vent or vent flue 502.0
 Vertical pipe: 224.0, 703.0, 704.2, 905.6, 908.2, 910.5
 Unit loading length-drainage piping Table 7-5
 Piping, support of Table 3-2
 Vertical-to-horizontal drainage fittings 706.4, 905.2-3, 909.0
 Vertical wet venting see Wet Vent
 Violation, notices of 918-785-0200(4)
 Vitriified clay 701.1.3, 705.2.1, 811.2

- W -

Wall, extension through 313.1
 Wall-hung fixtures, installation of 316.3.3, 407.1-2, 407.4-6
 Wall-hung water closets, definition 225.0
 Wall, recess or channel in 313.2
 Wash racks, auto 1011.0
 Waste Chapter 7
 Chemical laboratory, photographic 811.0
 Cooling water 808.0
 Combination 205.0, 901.0, Appendix B
 Continuous 205.0, 404.3-4, Table 7-3
 Detrimental or harmful 306.1, 307.0, 811.1, 1009.1
 Food, disposal unit see Food waste disposal unit
 Indirect 211.0, Table 7-3, Chapter 8, 902.0
 Industrial 211.0, 307.0, 811.1, 903.2.3, 1001.3, 1009.0, 1010.0, 1014.0, 1015.0

Liquid 214.0, 303.0, 304.0, 710.2, 811.1, 1006.0, 1009.1
 Pipe, definition 218.0
 Buildings over 10 stories 907.1
 For refrigerators Table 7-3, 801.2
 Indirect 211.0, 801.0, 805.0
 Accessibility 804.1
 Airbreak 801.0
 Airgap for 801.0, 806.0
 Installation of 313.6, Table 4-1, 802.0, 803.0, 810.0
 Material of, inside building 701.0
 Number of fixtures allowed on Table 7-5
 Size of Tables 7-3 & 7-5
 Pretreatment required 811.1
 Receptor, prohibited location 804.1
 Special, definition 221.0
 Stack, definition 221.0

Water:

Additions to existing work 610.13(2),(3)
 Building supply 604.1, 609.5, 610.0, Table 6-5
 Conditioning 225.0, 603.0, 611.4, 610.2
 Distributing pipe, definition 225.0
 Distribution system Chapter 6
 Filter 610.2
 Hammer arrester, definition 225.0
 Main, definition 225.0
 Non-potable lines 603.4.11, 610.13(6)
 Piping:
 Grounding 604.8
 In sewer trench 315.4, 609.2, 720.0
 Installation of 603.3.8, 604.8, 609.0, 720.0
 Material 604.0
 Sizing 610.0, Tables 6-4 & 6-5
 Potable 218.0, 316.1.3, 501.0, 602.0-603.0, 604.5, 604.7, 604.10, 607.0, 608.2, 610.1-2, 610.13(7)

Pressure:

Excessive 608.2-6
 Inadequate 608.1
 Loss 610.2
 Regulators and relief valves 608.2-6
 Private supply 602.4, Table 6-4
 Prohibited materials 604.10
 Protection of potable 603.0
 Required 601.1, 610.3
 Service, size 610.0, Table 6-5
 Softener 610.2

Supply:

Cross-connectors 601.1, 602.3, 603.0
 Flushometer valves see Flushometer valves
 To fixtures 610.0, Table 6-4 & 6-5
 System, definition 225.0
 Supply tank 603.4.2, 607.0
 Temperature-limiting device 505.5, 506.2
 Test 610.2
 Unlawful:
 Connections 602.0
 Devices 602.3
 Valves, control 605.0
 Water closets 316.3.1, 401.1, 403.0, 405.1, 407.0, 601.1, 603.4.1-3, 910.7, Tables 6-5 & 7-3

Water heaters:

Access 509.3, 509.4
 Clearances 505.3
 Definition 502.15
 Gas 508.0
 Oil-burning and other 506.0

INDEX

- Pressure-relief valve 608.3-6
- Prohibited location 505.1
- Protection ... 313.0, 718.0, 1007.0, Chapter 15
- Waterproofing:
 - Fixture setting 316.3.1, 408.0
 - Flashings 313.8, 906.5
 - Openings 313.8
- Water-sealed traps see Traps
- Water softener 610.2
- Water test:
 - Plumbing, drainage and vent system 712.0
- Water treatment device see Water Conditioning
- Weep holes, sub-drain of shower stalls 411.8
- Weight of flashing, lead 701.3
- Weights and quality of materials Chapter 3, 604.0, 906.6
- Welded lead joints 705.1.3
- Welder, pipe, definition 225.0
- Welding or brazing joints 316.1.7, 705.1.3
- Well, distance from sewage disposal 721.1, Table 7-7
- Wet vent 225.0, 316.2.2, 908.0, 910.6
- Whirlpool bathtub, definition 225.0
- Window, termination of vents from 906.2
- Wiped joints 316.1.2, 705.2.4
- Wooden sinks and laundry trays 405.3
- Work, concealed 504.2
- Work, existing 207.0
- Work, exposed, where required 504.2
- Workmanship 310.0, 609.1
- Wrapping of pipe 313.1, 609.3.1
- Wrought iron (galvanized) 316.1.2, 604.6, 604.8, 701.1.1
705.2.3-4, 707.1, 903.1
- Wye connections 404.4, 706.2, 707.6-7, 710.4, 719.4,
907.2, 909.0

- X -
- X-ray darkrooms 811.8

- Y -
- Yard piping, gas IS 12

- Z -
- Zinc alloy die cast components 406.4

OREGON PLUMBING SPECIALTY CODE